


Scalable Video Concept



VIDEO IP

patrick.paoli@contact-vip.com

Se habla también Castellano

VIDEO IP

SECURICASE

3 VISION

Scalable Video Concept

eSVC

Industrial server



- Multi-Functions
- Multi-hybrid
- Video Scalability 3G/3G (exclusive format eSVC)
- 3 networks

Embedded Firmware **made in France**

VIDEO IP

SECURICASE

3 VISION

Scalable Video Concept

Multi-functions server ...

- Alarm system and videoprotection
- Alert system : SmartAlerting
- Automat and web-commands 3G/3G
- Real-time GPS and google maps tracking
- Probes and measures (Temperature, GPS, etc)
- Web Media Server (playback, VOD system)

... tribryd

- Videos + Photos (High Quality pictures)
- DVR (4 analog cameras) + NVR (4 IP HD cameras)
- Video encoder H264 AVC/SVC + eSVC

Scalable Video Concept

Alarm system and automatism

PROGRAMMABLE AUTOMAT

- 4 alarm IN + 2 relay OUT in standard
- + 2 or 8 alarm IN contacts, USB option
- + 2 or 8 measures (temperature, force, sound level, PH, ORP, etc) , USB option
- + 2 or 8 web-command relays, USB option
- Relays are time scheduled
- Bidirectional 3G/3G control

Scalable Video Concept

Automatismes & Domotique



Scalable Video Concept

Communications : SmartAlerting

- 3 mails towards 3 different users
- Management informations
 - GPS Link to google maps (real time map display)
 - Working instructions for remote security cie
 - Mp4 video in mail attachment (immediat confirmation)
 - Direct link for 3G telecommands and VOD
- Infos and reporting to Central Management
 - Copy of events and logs towards FTP server
 - Information when 3G IP is changing

Scalable Video Concept

HQ pictures for better identification

- Video capture BEFORE encoding
- Local display of RAW video using VGA port
- Fiber quality, remotely, even if using 3G/3G
- Pictures D1 resolution (DVD) with High Quality
- 3G stream using own eSVC method
- Video Scalability when sending live view using 3G
- Best fit for special cameras, 32 million colors (defog, infra-red, analytic, etc)

Scalable Video Concept

Temporal Video Scalability eSVC


From 25 to 1 frame per seconde, when streaming eSVC quality



Autoadapt FPS according network bandwidth

Scalable Video Concept

eSVC Spatial Video Scalability



Autoadapt picture size according network bandwidth

Scalable Video Concept

New technologies and security

- Multi-flow video chipset, reprogrammed at boot
- French firmware 100 % linux
- Upgradable and ready for ODM customisation
- Network encryption for client softwares
- Remote commands using SSL3 web server
- Web Media Server = VOD using 3G upload
- GPS module is galileo ready
- No in-between DynDns server nor GPS server

Scalable Video Concept

eSVC Software Suite (Win + Linux)

- eSVC-frontpanel (local config and RAW video)
- eSVC-live (remote live using 3G upload)
- eSVC-player (remote playback)
- eSVC-WEBcommander (telecommands + VOD)
- eSVC-GPSlocator (real time 3G google maps GPS)

Options for resellers or key accounts

- eSVC-NetConfig-Pro (remote configuration)
- Valid serial key, temporary for rent system

Scalable Video Concept

Applications

- Banking
- Transportation and high value shipment
- Emergency vehicle
- Jewellery, tobacco, shop, solar panel
- Events or temporary security or safety
- Alarm or video extension
- Detective and investigator
- Construction area

Scalable Video Concept

Expoprotection 2012 partners

- **Performance Security Diffusion**

CCTV reseller « inmotion »

Special cameras (defog camera)

Mobile eSVC reseller

- **Visual Systems**

Telesurveillance Center installation

Management of alarms from eSVC

Hall 7.3 booth M92 near restaurant

Scalable Video Concept

VIDEO IP Scalable Video

- Mailto : contact@scalable-video.com
- eSVC website <http://smartalerting.com>
- Consulting : <http://contact-vip.com>
 -  Twitter : [@paoli_videoip](https://twitter.com/paoli_videoip)
- Phone Patrick Paoli : +33954946074
- Contact list : <http://contactvip.tel>
- Videos : <http://youtube.com/vip3vision>